



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY OF COMMERCE AND
COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, VA 22313-1450

June 10, 2009

**Inverness Medical Innovations / WSGR
Wilson Sonsini Goodrich & Rosati, P.C.
650 Page Mill Road
Palo Alto CA 94304**

Patent No. : 7,052,858 B2
Inventor(s) Jeff Gray, et al.
Issued : May 30, 2008
For **DIAGNOSTIC ASSAYS FOR
DETECTION OF CRYPTOSPORIDIUM
PARVUM**
Doc. No. 36671-763.401

To Whom It May Concern:

The Certificate of Correction issued on June 9, 2009, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The issue date in the heading of cofc has been incorrectly entered in the heading of the issued cofc. A superseding cofc will be issued to correct the patent issue date to read --May 30, 2006--.

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson
(703) 756-1584
For Mary F. Diggs, Supervisor
Decisions & Certificates of Correction Branch
(703) 756-1580